


Wall Lights - Ceiling Downlights - Projectors | 220-240 V | 1xGU10  
51366



| Technical data                                 |  |
|--|--|
| Type   | Wall Lights - Surface - Ceiling Downlights - Surface - Surface |
| Installation position                          | Wall lights - Ceiling -  |
| Installation environment                       | Outdoor  |
| Bulb included                                  | No   |
| Lamp cap                                       | 1 x GU10   |
| Optics   | Diffused   |
| Safety class                                   | 1  |
| IP   | IP65   |
| IK   | IK06   |
| Glow wire test                                 | 850°   |
| Direct mounting on normally flammable surfaces | Yes  |
| CE   | Yes  |
| Dimmable article                               | No   |
| Directional                                    | Swivelling   |
| total angle (vertical plane)                   | 180 °  |
| total angle (horizontal plane)                 | 0 °  |
| Tilting  | No   |
| Walk-over                                      | No   |
| Drive-over                                     | No   |
| Cable included                                 | No   |
| Resin potting                                  | No   |
| Net weight                                     | 0.722 Kg   |

| Finishing casing   |             |
|--------------------|-------------|
| Material           | Aluminium   |
| Colour             | Dark brown  |
| Processing         | Coating     |
| Finishing diffuser |             |
| Material           | Glass       |
| Colour             | Transparent |

Wall Lights - Ceiling Downlights - Projectors | 220-240 V | 1xGU10  
**51366**

Single emission wall lights, wall lights, ceiling downlights, ceiling downlights or projectors for outdoor application. Compatibility: LED lamp; lamp cap 1xGU10.

The device body is made of aluminium and features a dark brown finish, processed by means of coating; the diffuser is made of glass.

The ingress protection degree is IP65; the total weight is of 0.722 kg.

The device features protection class I and can be wall lights, ceiling or floor-mounted.

Compliant with the EN 60598-1 standard and its specific provisions.

Vision\_WJ | Projectors | Accessories

51366



Picket

installation position: land,Cover material: pc

Code

50370