



# Khadi



Khadi —







## info\_\_

Light fixtures for indoor, equipped with SMD LEDs, sand black painted metal structure, smoky gradient glass diffusers.

Corpuri de iluminat pentru interior echipate cu LED-uri SMD, structură din metal vopsită negru mat, dispersoare din sticlă fumuriu degrade.

Apparecchi per interni equipaggiati con LED SMD, struttura in metallo verniciato nero opaco, diffusori in vetro sfumato fumè.

Светильники для внутреннего освещения, оснащенные светодиодами SMD, с металлической структурой, окрашенной в матово-черный цвет, и рассеивателями из стекла дымчатого оттенка.


Beltéri, SMD LED-es lámpák, matt feketére festett fém szerkezet, fokozatos füstüveg diszperzór.

Осветителни тела за интериор, оборудвани с LED-ове SMD, метална структура боядисана в матово черно, дифузери от стъкло с опушен градиент.

Interiérové svietidlá, vybavené SMD LED diódami, kovová konštrukcia s pieskovou čiernou farbou, dymové gradientné sklenené difúzory.



art. **01-3483** Gradient Smoke



|                   |                            |
|-------------------|----------------------------|
| Led type          | SMD LED 3030 10 pcs x 0,6W |
| Power             | 6W                         |
| Input             | 220-240V, 50/60Hz          |
| Color temperature | 3000K                      |
| Lumen source      | 579 lm                     |
| Lumen system      | 370 lm                     |
| CRI               | ≥90                        |
| Not dimmable      |                            |
| CE  IP20          |                            |




art. **01-3484** Gradient Smoke



|                   |                            |
|-------------------|----------------------------|
| Led type          | SMD LED 3030 10 pcs x 0,6W |
| Power             | 6W                         |
| Input             | 220-240V, 50/60Hz          |
| Color temperature | 3000K                      |
| Lumen source      | 579 lm                     |
| Lumen system      | 370 lm                     |
| CRI               | ≥90                        |
| Not dimmable      |                            |
| CE  IP20          |                            |




art. **01-3485** Gradient Smoke



Led type SMD LED 3030 30 pcs x 0,55W  
 Power 16,5W  
 Input 220-240V, 50/60Hz  
 Color temperature 3000K  
 Lumen source 1760 lm  
 Lumen system 920 lm  
 CRI  $\geq 90$   
 Dimmable (3 step)   
**CE IP20**



art. **01-3486** Smoke Fade Glass



Led type SMD LED 3030 10 pcs x 0,6W  
 Power 6W  
 Input 220-240V, 50/60Hz  
 Color temperature 3000K  
 Lumen source 579 lm  
 Lumen system 370 lm  
 CRI  $\geq 90$   
 Not dimmable   
**CE IP20**



Multiple pendants can be assembled with one of the canopy options listed on pages 785-787.


Variante multiple de suspensii pot fi asamblate cu ajutorul bazelor optionale prezentate la paginile 785-787.

Sospensioni multiple possono essere installate sui rosoni presenti alle pagine 785-787.

Khadi




art. **01-3487** Gradient Smoke



|                   |                             |
|-------------------|-----------------------------|
| Led type          | SMD LED 3030 50 pcs x 0,52W |
| Power             | 26W                         |
| Input             | 220-240V, 50/60Hz           |
| Color temperature | 3000K                       |
| Lumen source      | 2955 lm                     |
| Lumen system      | 1511 lm                     |
| CRI               | ≥90                         |
| Dimmable (3 step) |                             |
| CE   IP20         |                             |




art. **01-3488** Gradient Smoke




|                   |                             |
|-------------------|-----------------------------|
| Led type          | SMD LED 3030 50 pcs x 0,52W |
| Power             | 26W                         |
| Input             | 220-240V, 50/60Hz           |
| Color temperature | 3000K                       |
| Lumen source      | 2955 lm                     |
| Lumen system      | 1511 lm                     |
| CRI               | ≥90                         |
| Dimmable (3 step) |                             |
| CE   IP20         |                             |




art. **01-3489** Gradient Smoke



|                   |                            |
|-------------------|----------------------------|
| Led type          | SMD LED 3030 70 pcs x 0,5W |
| Power             | 35,5W                      |
| Input             | 220-240V, 50/60Hz          |
| Color temperature | 3000K                      |
| Lumen source      | 4033 lm                    |
| Lumen system      | 2098 lm                    |
| CRI               | ≥90                        |
| Dimmable (3 step) | ☾                          |
| <b>CE IP20</b>    |                            |



art. **01-3490** Gradient Smoke



|                   |                             |
|-------------------|-----------------------------|
| Led type          | SMD LED 3030 50 pcs x 0,52W |
| Power             | 26W                         |
| Input             | 220-240V, 50/60Hz           |
| Color temperature | 3000K                       |
| Lumen source      | 2955 lm                     |
| Lumen system      | 1511 lm                     |
| CRI               | ≥90                         |
| Dimmable (3 step) | ☾                           |
| <b>CE IP20</b>    |                             |