


Nikos



Nikos —





info__

Light fixture for interior equipped with LEDs, aluminum and metal structure painted sand white, matt gold or sand black, transparent acrylic diffusers.

Corpuri de iluminat pentru interior echipate cu LED-uri, structură din aluminiu și metal vopsită alb mat, auriu mat sau negru mat, dispersoare din acril transparent.


Apparecchi per interni equipaggiati con LED, struttura in alluminio e metallo verniciato bianco opaco, oro opaco o nero opaco, diffusori in acrilico trasparente.

Светильники для внутреннего освещения, оснащенные светодиодами, с алюминиевым и металлическим корпусом, окрашенным в матово-белый, матово-золотистый или матово-черный цвета, и рассеивателями из прозрачного акрила.

Beltéri, SMD LED-es lámpák, matt fehér, arany vagy fekete színre festett alumínium és fém szerkezet, átlátszó akril árnyékolókkal.

Осветителни тела за интериор, оборудвани с LED-ове SMD, структура от алуминий и метал, боядисана в матово бяло, матово златисто или матово черно, дифузери от прозрачен акрил.

Svietidlo do interiéru vybavené LED diódami, hliníková a kovová konštrukcia lakovaná pieskovo biela, matná zlatá alebo pieskovo čierna, priehľadné akrylátové difúzory.



Multiple pendants can be assembled with one of the canopy options listed on pages 785-787.

Variante multiple de suspensii pot fi asamblate cu ajutorul bazelor optionale prezentate la paginile 785-787.

Sospensioni multiple possono essere installate sui rosoni presenti alle pagine 785-787.



2700K



art. **01-4177** Sand White

art. **01-4178** Matt Gold

art. **01-4179** Sand Black



Led type	BRIDGELUX 5050 SMD LED 2 pcs x 5W
Power	2 x 5W
Input	220-240V, 50/60Hz
Color temperature	2700K
Lumen source	712 lm
Lumen system	501 lm
Optic	25°
CRI	≥90
Not dimmable	
CE	
IP20	



2700K



art. **01-4180** Sand White

art. **01-4181** Matt Gold

art. **01-4182** Sand Black



Led type	BRIDGELUX 5050 SMD LED 4 pcs x 4W
Power	4 x 4W
Input	220-240V, 50/60Hz
Color temperature	2700K
Lumen source	1140 lm
Lumen system	706 lm
Optic	25°
CRI	≥90
Not dimmable	
CE	
IP20	



2700K



art. **01-4183** Sand White

art. **01-4184** Matt Gold


art. **01-4185** Sand Black



Led type	BRIDGELUX 5050 SMD LED 2 pcs x 5W
Power	2 x 5W
Input	220-240V, 50/60Hz
Color temperature	2700K
Lumen source	677 lm
Lumen system	403 lm
Optic	25°
CRI	≥90
Dimmable TRIAC	
CE	
IP20	

2700K

- art. **01-4186** Sand White
art. **01-4187** Matt Gold
art. **01-4188** Sand Black




2700K

- art. **01-4189** Sand White
art. **01-4190** Matt Gold
art. **01-4191** Sand Black



2700K

- art. **01-4192** Sand White
art. **01-4193** Matt Gold
art. **01-4194** Sand Black



Led type BRIDGELUX COB LED 1 pcs x 8W
Power 1 x 8W
Input 220-240V, 50/60Hz
Color temperature 2700K
Lumen source 677 lm
Lumen system 403 lm
Optic 25°
CRI ≥90
Not dimmable 
CE IP20


Led type BRIDGELUX COB LED 1 pcs x 8W
Power 1 x 8W
Input 220-240V, 50/60Hz
Color temperature 2700K
Lumen source 677 lm
Lumen system 403 lm
Optic 25°
CRI ≥90
Not dimmable 
CE IP20

Led type BRIDGELUX COB LED 1 pcs x 8W
Power 1 x 8W
Input 220-240V, 50/60Hz
Color temperature 2700K
Lumen source 677 lm
Lumen system 403 lm
Optic 25°
CRI ≥90
Not dimmable 
CE IP20

Nikos

3000K


- art. **01-3847** Sand White
art. **01-3848** Matt Gold
art. **01-3849** Sand Black



Led type	BRIDGELUX 5050 SMD LED 2 pcs x 5W
Power	2 x 5W
Input	220-240V, 50/60Hz
Color temperature	3000K
Lumen source	720 lm
Lumen system	507 lm
Optic	25°
CRI	≥90
Not dimmable	
CE IP20	

3000K


- art. **01-3850** Sand White
art. **01-3851** Matt Gold
art. **01-3852** Sand Black



Led type	BRIDGELUX 5050 SMD LED 4 pcs x 4W
Power	4 x 4W
Input	220-240V, 50/60Hz
Color temperature	3000K
Lumen source	1152 lm
Lumen system	714 lm
Optic	25°
CRI	≥90
Not dimmable	
CE IP20	


3000K

- art. **01-4057** Sand White
art. **01-4058** Matt Gold
art. **01-4059** Sand Black



Led type	BRIDGELUX 5050 SMD LED 2 pcs x 5W
Power	2 x 5W
Input	220-240V, 50/60Hz
Color temperature	3000K
Lumen source	720 lm
Lumen system	507 lm
Optic	25°
CRI	≥90
Dimmable TRIAC	
CE IP20	





3000K

art. **01-3853** Sand White
art. **01-3854** Matt Gold
art. **01-3855** Sand Black




Led type BRIDGELUX COB LED 1 pcs x 8W
Power 1 x 8W
Input 220-240V, 50/60Hz
Color temperature 3000K
Lumen source 684 lm
Lumen system 408 lm
Optic 25°
CRI ≥90
Not dimmable 
CE IP20




3000K

art. **01-3856** Sand White
art. **01-3857** Matt Gold
art. **01-3858** Sand Black



Led type BRIDGELUX COB LED 1 pcs x 8W
Power 1 x 8W
Input 220-240V, 50/60Hz
Color temperature 3000K
Lumen source 684 lm
Lumen system 408 lm
Optic 25°
CRI ≥90
Not dimmable 
CE IP20



3000K

art. **01-3859** Sand White
art. **01-3860** Matt Gold
art. **01-3861** Sand Black



Led type BRIDGELUX COB LED 1 pcs x 8W
Power 1 x 8W
Input 220-240V, 50/60Hz
Color temperature 3000K
Lumen source 684 lm
Lumen system 408 lm
Optic 25°
CRI ≥90
Not dimmable 
CE IP20

Nikos