


DATASHEET



Name	Table light
Type	Jack O'Lantern Large
ID	PC1086
Description	This modern lighting element by Lucie Koldova, with marble base and a pearl inside a metal frame, rounds out the variable Jack O'Lantern family.


Tech. description The light comprises a stone base with a metal cage. The cage holds a glass sphere with a metal endcap and G9 lamp socket.



CONSTRUCTION SPECIFICATION

Weight [kg]	12 kg
Construction material	glass, stone
Cord length [mm]	2,400 mm
Mounting	table, floor
Environment	indoor

Dimensions [mm]



ELECTRICAL SPECIFICATION


Input voltage [V]	230 VDC
Frequency [Hz]	50-60 Hz
Max. power [W]	10 W
Coverage IP	20
Socket	G9
Light source	-
Energy class	A+ to B depending on light source

Certifications




DATASHEET

RECOMMENDED BULBS



BROKIS



LAMPJA G9 5 SCPD 827

Socket	G9
Type	LED
Lamp wattage [W]	4.5 W
Input voltage [V]	220-240 VAC
Energy class	A+
Flux[lm]	399 lm
Light colour [K]	2,700 K
CRI	80+
Lifespan [h]	15,000 h
Dimmable	yes (triac)
Dimensions h x w [mm]	54 x 18 mm

TECHNICKÝ LIST



Název	Stolní svítidlo
Typ	Jack O'Lantern Large
ID	PC1086
Popis	Moderní stolní svítidlo s mramorovým podstavcem, nesoucím kovový rám se světelnou perlou, které vytvořila designérka Lucie Koldová, doplňuje ucelenou sestavu variabilní kolekce Jack O'Lantern.

Technický popis Svítidlo je složeno z kamenné základny spojené s kovovou klecí. Do klece je vložena skleněná koule osazená kovovou patičkou s objímkou G9.




KONSTRUKČNÍ SPECIFIKACE

Hmotnost [kg]	12 kg
Použité materiály	kov, kámen
délka připojovacího vodiče [mm]	2,400 mm
Montáž	stůl, podlaha
Prostředí	vnitřní

ELEKTRICKÁ SPECIFIKACE

Jmenovité napětí [V]	230 VDC
Frekvence [Hz]	50-60 Hz
Max. příkon [W]	10W LED
Krytí IP	20
Patice	G9
Světelný zdroj	-
Energetická třída	A+ až B dle použitého zdroje

Rozměr [mm]




Certifikace




TECHNICKÝ LIST

DOPORUČENÉ SVĚTELNÉ ZDROJE



BROKIS



LAMPIA G9 5 SCPD 827

Patice	G9
Typ	LED
Příkon [W]	4,5 W
Vstupní napětí [V]	220 - 240 VAC
Energetická třída	A+
Světelný tok [lm]	399 lm
Barevná teplota [K]	2700 K
CRI	80+
Životnost [h]	15,000 h
Stmívatelnost	ano (triac)
Rozměry v x š [mm]	54 x 18 mm