

Random Solo,
Design by Chia-Ying Lee

Model Random Solo 18

Random Solo reinterprets the essence of Random in a pendant lamp that expresses a new idea of lightness: the blown glass bubbles break free from the original three-element cluster to float in solitary beauty or combine with each other in delicate lighting solutions.



Random Solo 18	Light source	Diffuser: Blown glass	Cable	Code 2700 K	Code 3000 K
	LED 2700 K 1 W 150 lm 350 mA CRI 90 MacAdam 3-Step (or)	Clear Frosted White Glossy Smoke Glossy Bronze Pale Gold Mandarin Orange Golden Sage Deep Azure Steel Clear	Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Black Black Black Black Black Black Black Black Black Black	17113 0027 17113 1327 17113 4327 17113 4627 17113 4527 17113 5827 17113 7127 17113 8627 17123 0027 17123 1327 17123 4327 17123 4527 17123 4627 17123 5827 17123 7127 17123 8627	17113 0030 17113 1330 17113 4330 17113 4630 17113 4530 17113 5830 17113 7130 17113 8630 17123 0030 17123 1330 17123 4330 17123 4530 17123 4630 17123 5830 17123 7130 17123 8630
	LED 3000 K 1 W 160 lm 350 mA CRI 90 MacAdam 3-Step LED and driver included	Clear Frosted White Glossy Smoke Pale Gold Glossy Bronze Mandarin Orange Golden Sage Deep Azure Steel	Black Black Black Black Black Black Black Black Black Black Black Black Black Black Black Black Black Black	17123 0027 17123 1327 17123 4327 17123 4527 17123 4627 17123 5827 17123 7127 17123 8627	17123 0030 17123 1330 17123 4330 17123 4530 17123 4630 17123 5830 17123 7130 17123 8630

Net weight: 0.35 kg

Parcels: 2

CE

IP20

BI

TRIAC

220-240V

EAC


BALI
CONTROLLABLE

Energy efficiency class


D

Ecodesign Regulation

The LED-only light source contained in this fixture must only be replaced by the manufacturer, its support service or similarly qualified personnel.



The LED driver contained in this fixture must only be replaced by the manufacturer, its support service or similarly qualified personnel.



Cluster suspension lamps must be installed on a *canopy*: find out more on lodes.com/en/canopies

LODES

Random Solo 18

LED
2700 K
1 W
150 lm
350 mA
CRI 90
MacAdam 3-Step

Photometric data

