

Random Solo,
Design by Chia-Ying Lee

Model Random Solo 23

Random Solo reinterprets the essence of Random in a pendant lamp that expresses a new idea of lightness: the blown glass bubbles break free from the original three-element cluster to float in solitary beauty or combine with each other in delicate lighting solutions.



Random Solo 23	Light source	Diffuser: Blown glass	Cable	Code 2700 K	Code 3000 K
	LED 2700 K 3 W 450 lm 350 mA CRI 90 MacAdam 3-Step	Clear Frosted White Glossy Smoke Glossy Bronze Pale Gold Mandarin Orange Golden Sage Deep Azure Steel	Clear Clear Clear Clear Clear Clear Clear Clear Clear Clear Black Black Black Black Black Black Black Black Black Black	17114 0027 17114 1327 17114 4327 17114 4627 17114 4527 17114 5827 17114 7127 17114 8627 17124 0027 17124 1327 17124 4327 17124 4527 17124 4627 17124 5827 17124 7127 17124 8627	17114 0030 17114 1330 17114 4330 17114 4630 17114 4530 17114 5830 17114 7130 17114 8630 17124 0030 17124 1330 17124 4330 17124 4530 17124 4630 17124 5830 17124 7130 17124 8630
	LED 3000 K 3 W 480 lm 350 mA CRI 90 MacAdam 3-Step LED and driver included		Clear Frosted White Glossy Smoke Pale Gold Glossy Bronze Mandarin Orange Golden Sage Deep Azure Steel	17124 0027 17124 1327 17124 4327 17124 4527 17124 4627 17124 5827 17124 7127 17124 8627	17124 0030 17124 1330 17124 4330 17124 4530 17124 4630 17124 5830 17124 7130 17124 8630

Net weight: 0.60 kg

Parcels: 2

CE

IP20

BI

TRIAC

220-240V

EAC


BALI
CONTROLLABLE

Energy efficiency class


D

Ecodesign Regulation

The LED-only light source contained in this fixture must only be replaced by the manufacturer, its support service or similarly qualified personnel.



The LED driver contained in this fixture must only be replaced by the manufacturer, its support service or similarly qualified personnel.



Cluster suspension lamps must be installed on a *canopy*: find out more on lodes.com/en/canopies

LODES

Random Solo 23

LED
2700 K
3 W
450 lm
350 mA
CRI 90
MacAdam 3-Step

Photometric data

